

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|--|------------------|---------|------------------|
| S2 | 2473 | 709/226.ccls. and (@ad < "20040211" or @rlad < "20040211") | US-PGPUB; USPAT; IBM_TDB | ADJ | ON | 2007/09/18 15:25 |
| S10 | 339 | (Eilam.in. or Fong.in. or Hunt.in. or Kalantar.in. or Mummert.in. or Pershing.in.) and resourc\$4 and servic\$4 and (prov\$7 or allocat\$5) and (@ad < "20040211" or @rlad < "20040211") | US-PGPUB; USPAT; IBM_TDB | ADJ | ON | 2007/09/11 18:25 |
| S12 | 511130 | (resourc\$5 or servic\$5) same (provis\$7 or alloc\$7 or distribut\$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/12 13:53 |
| S15 | 247894 | (resourc\$5 or servic\$5) near5 (provis\$7 or alloc\$7 or distribut\$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/12 13:54 |
| S16 | 237974 | (resourc\$5 or servic\$5) near5 (configur\$7 or custom\$7 or initializ\$3 or reconfigur\$7 or reset\$3 or setup or set\$3 or tailor\$3 or attribute\$1 or value\$1 or variable\$1 or field\$1 or parameter\$1 or argument\$1 or parametre\$1 or setting\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/12 13:55 |
| S18 | 27380 | (resourc\$5 or servic\$5) near5 (match\$3 or map\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 17:00 |
| S24 | 6280 | S15 and S16 and S18 and S21 and (@ad < "20040211" or @rlad < "20040211") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/13 08:14 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|-----|----|------------------|
| S25 | 5401 | resource adj manager and (@ad < "20040211" or @rlad < "20040211") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/13 08:32 |
| S26 | 248251 | (resourc\$5 or servic\$5) near5 (provis\$7 or alloc\$7 or distribut\$7 or shar\$4 or manag\$7 or suppl\$5 or deploy\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/13 08:33 |
| S27 | 238328 | (resourc\$5 or servic\$5) near5 (configur\$7 or custom\$7 or initializ\$3 or reconfigur\$7 or reset\$3 or setup or set\$3 or tailor\$3 or attribute\$1 or value\$1 or variable\$1 or field\$1 or parameter\$1 or argument\$1 or parametre\$1 or setting\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/13 08:33 |
| S28 | 27439 | (resourc\$5 or servic\$5) near5 (match\$3 or map\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/13 13:12 |
| S29 | 93446 | (resourc\$5 or servic\$5) near5 (structure or model or topology or organization or arrangement or configuration) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/13 13:12 |
| S30 | 584 | S26 and S27 and S28 and S29 and (resource adj manager) and (@ad < "20040211" or @rlad < "20040211") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/13 08:34 |
| S41 | 1314 | ((((action or instruction) adj set) same (precondition or requirement)) and (@ad < "20040211" or @rlad < "20040211")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:43 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|-----|----|------------------|
| S42 | 68170 | (aggregat\$3 or gather\$3 or collect\$3 or collocat\$3 or colocat\$3 or assembl\$3 or pool\$3 or get or getting or accumul\$3 or acquir\$5 or acquis\$5 or procur\$5) near3 (action or instruction) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:50 |
| S44 | 1644 | ((select\$3 or pick\$3 or choos\$3) near3 (action or instruction)) same (precondition or requirement) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:51 |
| S45 | 214551 | ((execut\$3) near3 (action or instruction)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 15:52 |
| S46 | 98 | S42 and S44 and S45 and (@ad < "20040211" or @rlad < "20040211") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 16:08 |
| S47 | 298 | ((select\$3 or pick\$3 or choos\$3) near3 (action or instruction)) same ((precondition or requirement or prerequisite) near3 (satisf\$6 or conform\$3 or compl\$4 or compliance or meet\$3 or met)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 16:09 |
| S48 | 29 | S42 and S47 and (@ad < "20040211" or @rlad < "20040211") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/18 16:10 |